



COMMERCIAL  
**PRODUCTS** 2025



# ABOUT REARO

From our beginnings in the Shetland Islands to our state-of-the-art Glasgow manufacturing facility, Rearo has grown over the past 30 years into a trusted supplier for commercial projects. Our commitment to quality is clear in our renowned products like wall lining systems, washroom cubicles and vanity units.

Rearo Commercial offers specialised expertise, delivering tailored solutions across healthcare, education, hospitality, and beyond. We understand the unique demands of these sectors, providing everything from robust wall panels and bespoke washroom cubicles to vanity units, antimicrobial wall linings and solid surfaces.

Our vigorous in-house quality control and our dedicated fleet ensures that your projects, large or small, are executed with precision and delivered reliably on time across the country. Find the perfect surface solutions, designed and manufactured in the UK to meet your exacting standards.



Please ask about our FSC® certified products.

# INDEX

---

## 04 CUBICLES

Serving sectors from education and healthcare to leisure, retail and hospitality, Rearo focuses on delivering durable, aesthetically pleasing, and sector-specific solutions. Our product range, known for its robust fittings, safety features, and wide selection of décors offers a blend of functionality and quality for all budgets and requirements.

04	<b>RAPIDFIT</b>	Fast, easy-fit and off-the-shelf.
08	<b>ASPIRE</b>	Custom fit using the RapidFit colour range.
12	<b>NURTURE</b>	Designed to support early years education while accommodating neurodiverse needs.
16	<b>ENHANCE</b>	3 core materials, 4 ironmongery options, 40 décors.
20	<b>ELEVATE</b>	Superior comfort with a privacy option.
24	<b>TRIUMPH</b>	For the most sophisticated spaces.
28	<b>TRIUMPH PRIVACY</b>	Representing the pinnacle of luxury.

## 32 IPS PANELS

Integrated Plumbing System (IPS) panels are designed to conceal and provide easy access to plumbing services in washrooms.

## 34 VANITY UNITS

Vanity units provide durable, hygienic, and complementary solutions that conceal plumbing.

## 35 WASH TROUGHES

Solid surface wash troughs offer a luxurious, durable, and alternative to stainless steel, creating a seamless, integrated vanity unit.

## 36 WALL LINING SYSTEMS

36	<b>SELKIE</b>	Selkie Board, Rearo's flagship retail bathroom wall panel, is ideally suited for residential developments.
36	<b>ANTIMICROBIAL</b>	Rearo's antimicrobial wall lining inhibits bacterial growth, making it ideal for healthcare and catering.
36	<b>MAGNETIK</b>	Magnetik Board provides a full floor-to-ceiling, magnetic whiteboard cladding system.
36	<b>BÜHNE</b>	3m high Bühne Board provides seamless cladding for large public spaces and office developments.
38	<b>TRADELINE</b>	Tradeline is a waterproof panelling system with a range of décors and easy-clean, anti-bacterial properties.



# RAPIDFIT OFF-THE-SHELF WASHROOM CUBICLES.

The **RAPIDFIT** range provides quick, off-the-shelf cubicles and vanity units, with IPS panels made-to-order ideal for offices and hospitality venues. Delivered flat-packed for easy installation, it offers customisable components to suit your needs.



## KEY FEATURES

- For projects on a tight deadline.
- Simplified colour choice.
- No need to compromise on quality.
- Lift-off emergency hinges.
- Emergency release lock.



**INSTANT** OFF THE SHELF.



OFF-THE-SHELF  
**WASHROOM** CUBICLES.

# **RAPIDFIT**

## **IRONMONGERY**

### **NICKEL ALUMINIUM**



**HAT &  
COAT HOOK.**



**HINGE.**



**CUBICLE  
LEG.**



**LOCK.**



**HEADRAIL.**

# TECHNICAL SPECIFICATION

**Maximum Height** 1950mm FFL to top of headrail

**Maximum Depth** 1500mm

**Floor Clearance** 150mm

**Ironmongery:** Aluminum (PPC) Nickel

**Décors Available** 9



## PERFORMANCE

**MR MFC** Moisture-resistant Melamine Faced Chipboard panels have a thickness of 18mm, all edges are sealed and protected with **2mm ABS edging** for added durability. MR MFC is **perfect for dry environment** washrooms.

**SGL** Solid grade laminate is exceptionally **durable and resistant to impact**, with all surfaces **impervious to water**. Panels have a nominal thickness of 12mm and a black core throughout. All panels are **carefully machined** to provide an elegant, bullnosed black edge.

## DETAILING

**Support Leg** 150mm legs with adjustment  $\pm$  20mm.

**Headrail** 'U' shaped and fixed to pilasters with screws from above cubicle.

**Indicator Bolt & Keeper** Slide action lock with bolt through concealed fixings. Circular, slim, rebated faceplate and emergency release facility.

**Ironmongery Finish** Aluminium is polyester powder coated (PPC) with a 'Nickel' finish.

**Hinges** Lift off, gravity hinges with cover plates to conceal fixings.

**Drilling** All doors are pre-drilled to suit our hinges and locks. Fixing brackets, support legs and coat hooks are to be drilled on site to suit.



# ASPIRE

## CUSTOM-FIT WASHROOM CUBICLES.

For those projects on a tight deadline, the **ASPIRE** range uses our range of RapidFit colours to create made to measure cubicles that don't need to be altered on site. When quality, budget and lead time matter more than colour options, the **ASPIRE** range will deliver every time.



### KEY FEATURES

- For projects on a tight deadline.
- Simplified colour choice.
- No need to compromise on quality.
- Lift-off emergency hinges.
- Emergency release lock.



WHEN **QUALITY,**  
BUDGET & TIME COUNT.



CUSTOM-FIT  
**WASHROOM** CUBICLES.

# ASPIRE

## IRONMONGERY

### NICKEL ALUMINIUM



**SLIDE LOCK.**



**HINGE.**



**CUBICLE  
LEG.**



**LOCK.**



**HEADRAIL.**

# TECHNICAL SPECIFICATION

**Maximum Height** 1950mm FFL to top of headrail

**Maximum Depth** 1840mm

**Ironmongery:** Aluminum (PPC) Nickel

**Floor Clearance** 150mm

**Décors Available** 9

---

## PERFORMANCE

**MR MFC** Moisture-resistant Melamine Faced Chipboard panels have a thickness of 18mm, all edges are sealed and protected with **2mm ABS edging** for added durability.

MR MFC is **perfect for dry environment** washrooms. **Made to measure.**

**SGL** Solid grade laminate is exceptionally **durable and resistant to impact**, with all surfaces **impervious to water**. Panels have a nominal thickness of 12mm and a black core throughout. All panels are **carefully machined** to provide an elegant, bullnosed black edge. **Made to measure.**

---

## DETAILING

**Support Leg** 150mm legs with adjustment  $\pm$  20mm.

**Headrail** 'U' shaped and fixed to pilasters with screws from above cubicle.

**Indicator Bolt & Keeper** Slide action lock with bolt through concealed fixings. Circular, slim, rebated faceplate and emergency release facility.

**Ironmongery Finish** Aluminium is polyester powder coated (PPC) with a 'Nickel' finish.

**Hinges** Lift off, gravity hinges with cover plates to conceal fixings.

**Drilling** All doors are pre-drilled to suit our hinges and locks. Fixing brackets, support legs and coat hooks are to be drilled on site to suit.



# NURTURE WASHROOM NURSERY CUBICLES.

**NURTURE** offers a range of child-friendly washroom solutions designed for nurseries and primary schools, including toilet cubicles, vanity units, wash troughs, and IPS panels. These customisable products prioritise privacy, safety, and appealing looks for young children. Manufactured from durable 12mm SGL solid grade laminate, **NURTURE** cubicles are ideal for high-traffic environments and available in three playful designs: Wave, Ranch, and Lollipop.



## KEY FEATURES

- Hygienic, Low Maintenance and easy to clean.
- Colours that meet PAS 6463:2022 neurodiversity requirements.
- Hard-wearing and high impact resistant.
- Doors are fitted with lift-off emergency hinges as well as an emergency release lock.
- Anti-finger trap hinges.



# SOOTHING SENSORY ENVIRONMENT.



NURSERY  
**WASHROOM** CUBICLES.


# **NURTURE**

## **IRONMONGERY**

### **NICKEL ALUMINIUM**




**HAT &  
COAT HOOK.**




**HINGE.**



**CUBICLE  
LEG.**



**LOCK.**



**HEADRAIL.**

# TECHNICAL SPECIFICATION

**Maximum Height** 1950mm  
**Maximum Depth** 1500mm  
**Ironmongery:** Aluminum (PPC) Nickel  
**Floor Clearance** 150mm  
**Décors Available** 8



---

## PERFORMANCE

**SGL** Solid grade laminate is exceptionally **durable and resistant to impact**, with all surfaces **impervious to water**. Panels have a nominal thickness of 12mm and a black core throughout. All panels are **carefully machined** to provide an elegant, bullnosed black edge.

---

## DETAILING

**Support Leg** 150mm legs with adjustment  $\pm 20$ mm.

**Indicator Bolt & Keeper** Slide action lock with bolt through concealed fixings. Circular, slim, rebated faceplate and emergency release facility.

**Hinges** Lift off, gravity hinges with cover plates to conceal fixings.

**Drilling** All doors are pre-drilled to suit our hinges and locks. Fixing brackets, support legs and coat hooks are to be drilled on site to suit.

**Headrail** 'U' shaped and fixed to pilasters with screws from above cubicle.

**Ironmongery Finish** Aluminium is polyester powder coated (PPC) with a 'Nickel' finish.



# ENHANCE

# DESIGN YOUR DREAM WASHROOM.

Design your ideal washroom with a wealth of customisation options. Choose from three core materials, four ironmongery finishes, and over 40 décors, resulting in thousands of possible combinations. This unprecedented level of choice empowers customers to bring their dream washroom to life.



## KEY FEATURES

- Core materials suitable for a variety of environments.
- Four ironmongery finish options.
- Availability of HPL cubicles.
- Our bespoke cubicles are manufactured and delivered within four weeks.



# THREE CORES & FOUR IRONMONGERY TYPES.



DESIGN YOUR  
**DREAM** WASHROOM.

# ENHANCE IRONMONGERY


NICKEL ALUMINIUM, STAINLESS  
STEEL, BLACK & BRASS



**HAT &  
COAT HOOK.**



**HINGE.**



**CUBICLE  
LEG.**



**LOCK.**



**HEADRAIL.**

# TECHNICAL SPECIFICATION

**Maximum Height** 1950mm FFL to top of headrail

**Maximum Depth** 1840mm

**Floor Clearance** 150mm

**Ironmongery** Aluminium (PPC) Nickel, Stainless Steel, Black & Brass

**Décors Available** 40

---

## PERFORMANCE

**MR MFC** Moisture-resistant Melamine Faced Chipboard panels have a thickness of 18mm, all edges are sealed and protected with **2mm ABS edging** for added durability.

MR MFC is **perfect for dry environment** washrooms.

**HPL** High Pressure Laminated panels are built to withstand normal traffic. Cubicles are crafted using **18mm moisture-resistant chipboard** and bonded with durable **high-pressure laminate** providing a 20mm nominal thickness. The edges are protected with **2mm ABS edging** for added durability and finish.

**SGL** Solid grade laminate is exceptionally **durable and resistant to impact**, with all surfaces **impervious to water**. Panels have a nominal thickness of 12mm and a black core throughout. All panels are **carefully machined** to provide an elegant, bullnosed black edge.

---

## DETAILING

**Support Leg** 150mm legs with adjustment  $\pm 20$ mm.

**Indicator Bolt & Keeper** Lever turn/slide action lock with bolt through concealed fixings. Circular slim faceplate and emergency release facility.

**Hinges** Gravity hinges with rise and fall.

**Headrail** 'U' or 'D' shaped, fixed to pilasters with screws from above cubicle (depending on ironmongery choice).

**Fixings** 'U' channel brackets.

### Wall Channels

- Aluminium is polyester powder coated (PPC) with a 'Nickel' finish.
- Stainless steel (316 grade).
- Black (PVD).
- Brass (PVD).


**Drilling** All doors are pre-drilled to suit our hinges and locks. Pilasters are also pre-drilled to suit hinges. Fixing brackets, support legs and coat hooks are to be drilled on site to suit.



# ELEVATE

CREATE A SLEEK & **STYLISH** SPACE.

**ELEVATE** cubicles offer increased height and privacy for superior comfort and security. Durable nickel ironmongery, including essential safety features like lift-off hinges and emergency release locks, makes them ideal for education and hospitality environments. For a sleek, minimalist aesthetic, the **ELEVATE** range is also available without privacy features, creating a floating appearance when installed on support legs.



## KEY FEATURES

- These cubicles offer increased privacy compared to traditional designs.
- Doors are equipped with lift-off emergency hinges and emergency release locks.
- Robust, powder-coated nickel ironmongery ensures durability in high-traffic environments.



**MORE** HEIGHT AND  
ADDITIONAL PRIVACY.



CREATE A SLEEK  
& **STYLISH** SPACE.


# **ELEVATE**

## **IRONMONGERY**

### **NICKEL ALUMINIUM**



**HAT &  
COAT HOOK.**




**HINGE.**



**FRONT  
PILASTER.**



**LOCK.**



**HEADRAIL.**

# TECHNICAL SPECIFICATION

**Maximum Height** 2790mm FFL to top of headrail

**Maximum Depth** 1840mm

**Floor Clearance** 0mm - 10mm at doors / 20mm – 150mm with legs

**Ceiling Clearance** 20mm

**Décors Available** 40

---

## PERFORMANCE

**MR MFC** Moisture-resistant Melamine Faced Chipboard panels have a thickness of 18mm, all edges are sealed and protected with **2mm ABS edging** for added durability.

MR MFC is **perfect for dry environment** washrooms.

**SGL** Solid grade laminate is exceptionally **durable and resistant to impact**, with all surfaces **impervious to water**. Panels have a nominal thickness of 12mm and a black core throughout. All panels are **carefully machined** to provide an elegant, bullnosed black edge.

---

## DETAILING

### Support Leg

- Adjustment  $\pm 5$ mm for 20mm legs.
- Adjustment  $\pm 20$ mm for 50mm - 150mm.

**Indicator Bolt & Keeper** Slide action lock with bolt through concealed fixings. Circular, slim, rebated faceplate and emergency release facility.

**Hinges** Lift off, gravity hinges with cover plates to conceal fixings.

**Headrail 'J'** channel fixed from inside of the cubicle.

### Fixings

- Partition fixed to wall: 'U' channel.
- Pilaster fixed to wall: 'U' channel.
- Pilaster fixed to partition: 'U' channel.
- Partition and pilasters fixed to floor: 'U' channel (for privacy option).


**Ironmongery Finish** Aluminium is polyester powder coated (PPC) with a 'Nickel' finish.

**Drilling** All doors are pre-drilled to suit our hinges and locks. Pilasters are also pre-drilled to suit hinges. Fixing brackets, support legs and coat hooks are to be drilled on site to suit.



# TRIUMPH FOR THE MOST SOPHISTICATED SPACES.

**TRIUMPH** offers a timeless, modern design characterised by smooth surfaces, clean lines, seamless fronts, and minimalist ironmongery. The carefully rebated pilasters and doors create a striking flush-fronted appearance, giving the illusion of floating walls. Meticulously crafted to embody the height of luxury, seamlessly blending style and function for a truly distinguished aesthetic.



## KEY FEATURES

- Hand-finished hardwood edges for both durability and a luxurious feel.
- Privacy is ensured with minimal 20mm gaps at the floor and ceiling.
- Pre-drilled pilasters, doors, and over-panels simplify installation.
- Doors are equipped with lift-off hinges and emergency release locks.
- Durable, long-lasting stainless steel ironmongery completes the design.



# TIMELESS MODERN DESIGN.



FOR THE **MOST**  
SOPHISTICATED SPACES.

# TRIUMPH IRONMONGERY STAINLESS STEEL



**HAT &  
COAT HOOK.**



**HINGE.**



**CUBICLE  
LEG.**



**LOCK.**



**OVERPANEL  
FIXING PLATE.**

# TECHNICAL SPECIFICATION

**Maximum Height** 2790mm FFL to top of headrail

**Maximum Depth** 1840mm

**Floor Clearance** 20mm – 150mm

**Ceiling Clearance** 20mm

**Décors Available** 60

---

## PERFORMANCE

**HPL** High Pressure Laminated panels are built to withstand normal traffic and provide sturdy luxury. They are crafted using **30mm moisture-resistant MDF** and bonded with durable **high-pressure laminate** providing a 32mm nominal thickness. Doors and Pilasters showcase **elegant, rebated hardwood edges** that are sanded and sealed in manufacturing. Partitions are manufactured using 18mm Melamine Faced Chipboard and are finished in **2mm ABS edging** for added durability and finish

**SGL** Solid grade laminate is exceptionally **durable and resistant to impact**, with all surfaces **impervious to water**. Panels have a nominal thickness of 12mm and a black core throughout. All panels are **carefully machined** to provide an elegant, rebated black edge.

---

## DETAILING

**Support Leg** Stainless Steel.

- 20mm legs with adjustment  $\pm$  5mm.
- 85mm - 150mm with adjustment  $\pm$  20mm.

**Indicator Bolt & Keeper** Stainless Steel 316 lever turn with bolt through concealed fixings. Circular slim 7mm faceplate and emergency release facility.

**Hinges** Stainless Steel 316, lift off, gravity hinges with cover plates to conceal fixings.

**Drilling** All doors are pre-drilled to suit our hinges and locks. Pilasters and Overpanels are also pre-drilled. Support Channels, legs and coat hooks are to be drilled on site to suit.

**HPL Headrail** 32mm thick over panel fixed to pilasters with aluminium plates painted Nickel finish. 'L' channel for support.

**SGL Headrail** 'J' channel fixed from inside of the cubicle.

### Fixings


- Partition fixed to wall: Aluminium 'U' channel powder-coated Nickel finish.
- Pilaster fixed to wall: Aluminium 'L' channel powder-coated Nickel finish.
- Pilaster fixed to partition: Aluminium 'U' channel powder-coated Nickel finish.



# TRIUMPH PRIVACY

FOR THE **MOST** SOPHISTICATED SPACES.

**TRIUMPH PRIVACY** offers increased privacy while maintaining the sleek aesthetic of the Triumph range. Featuring floor-mounted pilasters and partitions, with only a 10mm gap beneath the door, these cubicles provide modesty without sacrificing their beautiful design.



## KEY FEATURES

- Hand-finished hardwood edges (**HPL**) or rebated polished edges (**SGL**) for both durability and a luxurious feel.
- Near-complete privacy with only visible gaps of 10mm below door and 20mm at ceiling.
- Pre-drilled pilasters, doors, and over-panels simplify installation.
- Doors are equipped with lift-off hinges and emergency release locks.
- Durable, long-lasting stainless steel ironmongery completes the design.



# MODESTY

WITHOUT COMPROMISE.



FOR THE **MOST**  
SOPHISTICATED SPACES.

# **TRIUMPH** PRIVACY IRONMONGERY

**STAINLESS STEEL**



**HAT &  
COAT HOOK.**



**HINGE.**



**PARTITION  
CHANNEL.**



**LOCK.**



**PILASTER  
CHANNEL.**

# TECHNICAL SPECIFICATION

**Maximum Height** 2790mm FFL to top of headrail

**Maximum Depth** 1840mm

**Floor Clearance** 20mm – 150mm

**Ceiling Clearance** 20mm

**Décors Available** 60

---

## PERFORMANCE

**HPL** High Pressure Laminated panels are built to withstand normal traffic and provide sturdy luxury. They are crafted using **30mm moisture-resistant MDF** and bonded with durable **high-pressure laminate** providing a 32mm nominal thickness. Doors and Pilasters showcase **elegant, rebated hardwood edges** that are sanded and sealed in manufacturing. Partitions are manufactured using 18mm Melamine Faced Chipboard and are finished in **2mm ABS edging** for added durability and finish

**SGL** Solid grade laminate is exceptionally **durable and resistant to impact**, with all surfaces **impervious to water**. Panels have a nominal thickness of 12mm and a black core throughout. All panels are **carefully machined** to provide an elegant, rebated black edge.

---

## DETAILING

**Indicator Bolt & Keeper** Stainless Steel 316 lever turn with bolt through concealed fixings. Circular slim 7mm faceplate and emergency release facility.

**Hinges** Stainless Steel 316, lift off, gravity hinges with cover plates to conceal fixings.

**Drilling** All doors are pre-drilled to suit our hinges and locks. Pilasters and Overpanels are also pre-drilled. Support Channels and coat hooks are to be drilled on site to suit.

**HPL Headrail** 32mm thick over panel fixed to pilasters with aluminium plates painted Nickel finish. 'L' channel for support.

**SGL Headrail** 'J' channel fixed from inside the cubicle.

### Fixings


- Partition fixed to wall: Aluminium 'U' channel powder-coated Nickel finish.
- Pilaster fixed to wall: Aluminium 'L' channel powder-coated Nickel finish.
- Pilaster fixed to partition: Aluminium 'U' channel powder-coated Nickel finish.



# IPS PANELS

## INTEGRATED PLUMBING SYSTEM.

**IPS** PANELS conceal plumbing in washrooms while providing easy maintenance access. Installed behind urinals and toilet cubicles, these panels attach to a timber frame and incorporate shadow gaps and access panels. KeKu clips facilitate easy lift-on/lift-off access.



Our commercial washroom range offers two **IPS** system options, both made to order in our UK facility: MR MFC (melamine-faced chipboard core) and SGL (Solid Grade laminate). We can manufacture **IPS** PANELS to your specification, offering both full and half-height designs to meet your specific site requirements.

**MADE** TO YOUR  
SPECIFICATION.



# TECHNICAL SPECIFICATION

**Maximum Height** Up to 2900mm FFL to ceiling

**Thickness** 18mm MR MFC / 12mm SGL

**Standard Depth** 250mm

**Floor Clearance** 100mm

**Fixings** None Visible

**Décors Available** 40

---

## PERFORMANCE

**MR MFC** Moisture-resistant Melamine Faced Chipboard panels have a thickness of 18mm, all edges are sealed and protected with **2mm ABS edging** for added durability.

MR MFC is **perfect for dry environment** washrooms. Made to measure.

**SGL** Solid grade laminate is exceptionally **durable and resistant to impact**, with all surfaces **impervious to water**. Panels have a nominal thickness of 12mm and a black core throughout. All panels are **carefully machined** to provide an elegant, bullnosed black edge. Made to measure.

---

## DETAILING

**Shadow Gaps** MR MFC as standard with the choice to upgrade to SGL for wet environments. Standard 50mm shadow gaps at vertical ends and horizontal tops. 100mm horizontal gap at the floor.

**Support Frames** Supplied by others. Shadow gaps can be fixed to both timber and metal frames using glue/pins and screws.

**Fixing Clips** Lift on/off, plastic, gravity Keku clips for removable access. Option for push on/off clips for hard to access areas.



# VANITY UNITS



Our commercial **VANITY** UNITS are designed to complement our toilet cubicle ranges, providing an attractive solution for concealing plumbing in washroom sink areas. Perfectly paired with our cubicles, our laminate surfaces offer a hygienic, easy-to-maintain, and resilient solution.



Core material selection depends on the installation environment. For lighter traffic areas with minimal humidity and moisture exposure, our cost-effective MR MDF core, backed by a five-year guarantee, is ideal. High-traffic areas prone to water exposure benefit from our 100% waterproof SGL (Solid Grade Laminate), which comes with a 10-year guarantee.

Manufactured in-house, all our **VANITY** UNITS are made to order, allowing us to meet bespoke size requirements. Available in continuous lengths up to 2750mm, featuring integrated upstand and downstand. Our units include shadow gap front panel, removable access panels and return end panels (where applicable).





# WASH TROUGHES



Solid Surface **WASH TROUGHES** offer a luxurious alternative to stainless steel, providing a durable solution for washroom sink areas. Designed for vanity unit installation, our bespoke trough designs create a sleek and modern aesthetic. Seamlessly integrating basins and drainage systems, these troughs accommodate both wall and deck-mounted taps.

---

## REPAIRABLE SOLID SURFACE

Solid Surfaces' resilient nature makes it ideal for high-traffic environments like leisure facilities and schools. Minor scratches and chips are easily sanded and buffed out, maintaining a seamless appearance. For cracks, we recommend consulting a certified Solid Surface repair specialist.

## HYGENIC & EASY TO MAINTAIN

The non-porous surface of Solid Surface inhibits mould growth, minimising the risk of cross-infection and cross-contamination with proper cleaning. Residue easily wipes away with a damp cloth and mild detergent. This makes Solid Surface a popular choice for healthcare, schools, food preparation areas, hospitality, offices, and residential kitchens. Certified by NSF International as NSF/ANSI Standard 51 for food contact (the highest level), Solid Surface ensures a sanitary solution for commercial bathrooms.

## SUSTAINABLE MATERIAL

These wash troughs are designed with a commitment to environmental stewardship, typically incorporating a percentage of recycled materials (between 6% and 20%) into their composition.

By choosing these troughs, projects prioritising environmental responsibility can confidently implement a solution that minimises waste and reduces their ecological footprint.



# WALL LINING SYSTEMS

As a leading manufacturer and supplier of laminate wall lining systems, Rearo Commercial offers five primary solutions: Tradeline, Selkie Board, Bühne, Magnetik, and antimicrobial cladding. Each system is tailored to specific sector needs, considering factors like hygiene and water resistance. Our wall lining solutions provide easy installation, professional results, and minimal maintenance, making them ideal for any commercial space.

**SELKIE** Our flagship retail range, also available for commercial use, is primarily a bathroom wall panel.


**ANTIMICROBIAL WALL LINING** Inhibits microorganism growth (bacteria, mould, fungi). Incorporated antimicrobial agents disrupt microorganism cell function upon contact. Benefits include enhanced hygiene, reduced infection risk and durability with easy maintenance. Common applications include healthcare, food preparation, education, commercial spaces, and residences.

**BÜHNE** Designed for high-ceiling applications (in increments of up to 3000mm), such as office developments, airports and transport hubs. This system ensures consistent coverage across large wall areas. Created to meet the fire requirements for public areas.



**MAGNETIK** A complete cladding system with integrated whiteboard capabilities. The built-in metallic layer allows for both dry-erase writing and magnetic displays, fostering collaboration in co-working spaces. Unlike standard whiteboards, this system provides full floor-to-ceiling coverage.


**TRADELIN** is a high-quality waterproof shower panel solution for commercial and healthcare projects. (See page 38)





# TRADELINE WATERPROOF PANELLING SYSTEM.

**TRADELINE** is a high-quality waterproof shower panel system for commercial and healthcare projects, featuring ten high-pressure laminate décors bonded to MR MDF. Available in both square edge and tongue & groove options, Tradeline's non-porous surface naturally inhibits mould and bacteria growth, ensuring easy cleaning and superior hygiene.




## KEY FEATURES

- MR MDF Core
- 2420 x 1200 x 11mm Square Edge
- 2420 x 1180 x 11mm Tongue & Groove
- 2420 x 580 x 11mm Tongue & Groove

**QUICK** &  
EASY TO CLEAN.





# ABOUT REARO®

**REARO** is a leading UK manufacturer and supplier of high-quality surface solutions for both commercial and domestic markets. Born in rugged Shetland, with over 30 years of experience, we offer a wide range of products, including our flagship **SELKIE BOARD** shower panels, **SENSES** kitchen worktops and splashbacks, wall linings, washrooms and toilet cubicles, and integrated plumbing systems.

Supporting a wide range of sectors from healthcare and education to leisure and retail, **REARO** is the trusted choice for architects, designers, and homeowners seeking quality and style.

**E: [commercial@rearo.co.uk](mailto:commercial@rearo.co.uk) T: 0141 440 0800**

Find us online at **[www.rearocommercial.co.uk](http://www.rearocommercial.co.uk)**

